Class 2

Building Product Information Sheet

About this form

This template has been developed to help manufacturers and importers into Aotearoa New Zealand provide the information required by the **Building (Building Product Information Requirements) Regulations 2022.**

How to use

- > Download and save this form in your computer.
- > Fill out the form with the relevant information about your product.
- > You may use this filled out form and publish it on your product web page.

Types of building products

There are two classes of designated building products with different information requirements for each. The below summarises the information that must be provided for each class of product and when the information must be made available.

Class 1: Batch or mass-produced products

Batch or mass-produced products that are typically available for retail or wholesale purchase. For example, cladding products, mechanical fixings, insulation products, internal lining, roofing products, structural wood-based products, structural steel and reinforcing products, sanitary plumbing, and drainage products, including tapware (note: this is not an exhaustive list).

Class 2: Custom-made lines of products

Custom-made lines of products that are made to order to client specifications. For example, external window joinery and doors that have been customised to the specifications of individual clients (for example, specifications on dimensions and glass type).

MBIE provides resources to support manufacturers, importers, wholesalers, distributors, and retailers to understand what their obligations are, and how to meet them.

For more information, visit Building product information requirements | Building Performance

Background

The Building Amendment Act 2021 introduced new minimum information requirements for building products to support better informed decision-making by building consent authorities, building owners, builders, and designers. The new regulations designate several building products for which building product information must be provided and establish the minimum requirements for that information.

The new regulations will ensure better and more consistent information is available for these products, helping inform building consent authority decisions on building consent applications. This should result in fewer requests for information, and therefore faster processing times. In addition, the requirements will ensure people, including homeowners, are given the information they need to make good decisions about products, and use and maintain them as intended.

Please note that The Ministry of Business, Innovation and Employment (MBIE) is not responsible for the input details provided in the template.

Class 2

Building Product Information Sheet

Troduce Harrie (mende	the brand name).			
Pacific Smoke Control Door				
Product line (the produ	act line from which the product is	customised):		
Smoke Control				
Product description a	nd its intended use (measure	nents, materials, usage):		
Pacific Smoke Control door sets are manufactured to comply with the requirements of the NZ Building Code (NZBC), set out in the Acceptable Solutions Appendix C, C6.1.2. They are required if doors are needed in smoke separations.				
The door set configuration may be single leaf or pair, finished with a variety of facings and hung in a timber or steel frame.				
The minimum thickness of the Smoke Control leaf is 45mm with an approximate leaf weight of 27kg/m2				
Dradust identifier //s-	and the late of			
Product identifier (if a	ррпсавле).			
(This could be a Global Tra	ade Item Number (GTIN) or quick	response code (QR code), or any other distinguishable part/model number or identifier.)		
Place of manufacture: 🕢 Aotearoa New Zealand Overseas				
Legal and trading nan	ne of the manufacturer(s):			
Pacific Door Systems L	td			
Address for service:				
STREET NAME 17 Meachen St.		SUBURB Seaview		
CITY, COUNTRY Lower Hu	tt, New Zealand	POSTCODE 5045		
Website:	www.pacificdoors.co.nz			
Email address:	sales.pacificdoors@assaablo	v.com		
Phone No. (if applicable):				
NZBN (if applicable):				

1

Legal and trading nam	e of the importer (if applicable):
Address for service:	
STREET NAME	SUBURB
CITY, COUNTRY	POSTCODE
Website:	
Email address:	
Phone No. (if applicable):	
NZBN (if applicable):	
Relevant Building Cod B2 Durability: Performa	
C Protection from fire: C4 Movement to a place D1 Access Routes: Perf	Performance clauses C AS/2 C6.1.2 te of safety: Performance clauses C4.3 and C4.5 ormance clause D1.3.1 (b)
Statement on how the	building product is expected to contribute to compliance:
excepting applications installed and maintained	moke Control Door can be finished to provide a durability of at least 15 years in all interior applications, where the product is subjected to direct exposure to moisture. Durability is dependent on product being ed in accordance with Pacific Door Systems Ltd requirements. If it is Smoke Control Door is fitted with smoke seals as per NZBC requirements. In order to comply, the door f-closing hardware.
Compliant hardware lis	rt:
https://www.pacificdo	ors.co.nz/fire/fire-doors/smoke-control/smoke-control/hardware
C4.3 and C4.5: Pacific S project requirements.	smoke Control Doors can be used within an escape route where relevant considerations are specified in the
D1.3.1(b): Pacific Smok project requirements.	e Control Doors can be used within an access route where relevant considerations are specified in the

options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method) standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured physical properties of the building product
how the building product is intended to be used. Limitations on the use of the building product:
The Pacific Smoke Control Door is not tested for water ingress in exterior applications, and we make no claims with regards to its suitability under NZBC E2 External moisture.
f this product is installed in an exterior wall it should be given the maximum possible amount of protection, including overhead protection. Flashing design, supply, and installation by others.
Limitations on size and other product options are as per product datasheet.

- D:0 0 ! =	control Broads destroyed from the total of the second seco	-1 -
he Pacific Smoke Co equired.	ontrol Door is designed for use in interior residential and commercial buildings where a smoke control	door
	e listed in the product datasheet: doors.co.nz/fire/fire-doors/smoke-control/smoke-control	
	ments (also provide link to the product installation guide):	
per product requ	rements: https://www.pacificdoors.co.nz/fire/fire-doors/smoke-control/smoke-control/installation	

Maintenance requirements (also provide link to the product maintenance guide):				
As per Pacific Door Systems Ltd Operations and Maintenance manual:				
https://www.pacificdoors.co.nz/sites/default/files/images/Operations%20and%20Maintenance%20Manual.pdf				
Is the building product/building product line subject to warning or ban under section 26?:				
Yes √ No				
If yes, description of the warning or ban under section 26:				
Version: 01				
Date: 0 9 1 1 2 3				